



“Gheorghe Asachi” Technical University of Iasi, Romania



---

## ENVIRONMENTAL APPLICATION OF Ti/TiO<sub>2</sub> ANODES PREPARED BY DC-MAGNETRON SPUTTERING: DEGRADATION OF ACID ORANGE 7

Susana Sérgio<sup>1</sup>, Luís Carlos Silva<sup>1</sup>, Maria Estrela Melo Jorge<sup>2</sup>, Sílvio Ferreira<sup>3</sup>,  
Lurdes Ciriaco<sup>3\*</sup>, Maria José Pacheco<sup>3</sup>, Ana Lopes<sup>3</sup>

<sup>1</sup>CEFITEC, Departamento de Física, Universidade Nova de Lisboa, 2829-516 Caparica, Portugal

<sup>2</sup>CCMM, Departamento de Química e Bioquímica, Faculdade de Ciências da Universidade de Lisboa, Campo Grande C8, 1749-016 Lisboa, Portugal

<sup>3</sup>FibEnTech and Department of Chemistry, University of Beira Interior, 6201-001 Covilhã, Portugal

---

### Abstract

Ti/TiO<sub>2</sub> films were prepared by DC reactive magnetron sputtering followed by annealing in air at 400 °C for 4 h. Structural tests have been performed to characterize the films, showing that the prepared films present 70% of anatase phase. When these results are compared with those from TiO<sub>2</sub> films grown on glass substrates with similar deposition parameters, it can be seen that Ti substrates favour the formation of rutile phase, which is not observed on the films supported on glass, indicating that the film structure is strongly influenced by the substrate's nature. The electrocatalytic oxidation of acid orange 7 aqueous solutions, with concentrations between 5 and 50 mg L<sup>-1</sup>, was performed using Ti/TiO<sub>2</sub> electrodes, at applied current densities of 0.1 and 0.25 mA cm<sup>-2</sup>. COD removal increased with applied current density and acid orange 7 initial concentration. The current efficiency also increased with initial concentration, showing that the process was mainly controlled by diffusion.

**Keywords:** Acid Orange 7, DC-Magnetron sputtering, decolourization, electrodegradation, TiO<sub>2</sub>

*Received: January, 2015; Revised final: March, 2015; Accepted: March, 2015*

---

\* Author to whom all correspondence should be addressed: e-mail: [lciriaco@ubi.pt](mailto:lciriaco@ubi.pt); Phone: +351275329259; Fax: +351275319730