



“Gheorghe Asachi” Technical University of Iasi, Romania



COMPARATIVE STUDY ON ADSORPTION OF BASIC BLUE 41 (BB41) DYE FROM AQUEOUS SOLUTION ONTO TWO SGOs

Aysan Hassanzadeh Bavojdan¹, Mohammad Reza Alavi Moghaddam^{1*}, Elaheh Kowsari²

¹Civil and Environmental Engineering Department, Amirkabir University of Technology (Tehran Polytechnic), Hafez Ave., Tehran, 15875-4413, Iran

²Department of Chemistry, Amirkabir University of Technology (Tehran Polytechnic), Hafez Ave., Tehran, 15875-4413, Iran

Abstract

The main purpose of the present research was a comparative study of two functionalized sulfonated graphene oxide (SGO) for removal of selected pollutant (Azo-Cationic Basic Blue 41 dye) in aqueous solution. The two nano-adsorbents (GO/1,4-butane sultone (SGO₁) and GO/1,3-propane sultone (SGO₂)) were synthesized, and characterized by Scanning Electron Microscope (SEM), Brunauer-Emmett-Teller (BET), X-ray Crystallography (XRD), Raman spectroscopic, and Fourier-Transform Infrared Spectroscopy (FTIR) analysis. The adsorption process of BB41 dye onto two nano-adsorbents was investigated. Selected parameters including initial solution pH, initial BB41 concentration, adsorbent dose, and contact time were evaluated. pH= 8, initial BB41 dye concentration= 50 and 100 mg/L, adsorbent dose= 0.2 and 0.15 g/L and contact time= 60 and 30 minute at room temperature, were the optimum values of the parameters for SGO₁ and SGO₂, respectively. The maximum adsorption capacity with SGO₁ and SGO₂ (assuming minimum removal of 80%) were found to be 274 and 434 mg/g. The study of isotherm and kinetics showed that both nano-adsorbents followed the Langmuir equilibrium model and were best fitted to the pseudo-second-order model. Moreover, according to the thermodynamic analysis the adsorption process, at all analyzed temperatures, was endothermic. The SGO₂ nano-adsorbent had shown higher efficiency than the SGO₁ nano-adsorbent during four cycles of the regeneration/ recovery investigation.

Key words: dye adsorption, isotherm, process kinetic, sulfonated graphene oxide, thermodynamics

Received: October, 2020; *Revised final:* April, 2021; *Accepted:* October, 2021; *Published in final edited form:* December, 2021

* Author to whom all correspondence should be addressed: E-mails: alavim@yahoo.com, alavi@aut.ac.ir; Phone: +982164543008; Fax: +982166414213